

PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out

Metallized Polypropylene (MPP) Capacitors are film Capacitors, made out of two Al-Zn metallized films with plastic film acting as dielectric. PTS series MPP Capacitors are with press-fit top cover, straight terminal leads out and encapsulated in PP can.

Based on international standards PTS MPP Capacitors are categorised as

- a) AC Fan motor Capacitors (IS 1709:1984)
- b) Motor Run Capacitors (IS 2993:1998)

1. SPECIFICATIONS

a) **AC Fan Motor Capacitor**

Series	PTS Series
Type	Metallized Polypropylene Motor Run Capacitor
Reference Standard	IS709 : 1984
Rated Voltage	440 Vac
Rated Frequency	50/60 Hz
Climatic Category	-25/85°C/21
Type	MPP-SH
Safety Protection	P0
Capacitance Range	2.5 to 8µF
Capacitance Tolerance	±5%

PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out

b) Motor Run Capacitor

Series	PTS Series
Type	Metallized Polypropylene Motor Run Capacitor
Reference Standard	IS2993: 1998
Rated Voltage	440 Vac
Rated Frequency	50/60 Hz
Climatic Category	-25/85°C/21
Type	MPP-SH
Safety Protection	P0
Capacitance Range	8 to 30 μ F
Capacitance Tolerance	\pm 5%
Class of Operation	Class C/ Class D


2. OTHER INFORMATION

Type of packing and Lead configuration	Bulk. Straight terminal leads out
Capacitor codification system	Refer section 6 for details
Dimensional specification	Refer section 4 for details
Marking specification	Refer section 7 for details

PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out

3. PHYSICAL OUTLINE



All Dimensions are in “mm”

4. DIMENSIONS (All units in mm)

Case Code	Diameter ØD±1 (mm)	Length L±3 (mm)
CD	27	52
ED	30	52
GK	35	71
JK	40	71
LR	45	94

PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out

5. STANDARD RATING TABLE

a) AC Fan Motor Capacitor (IS-1709:1984)

Part Number	Rating (μ F)	Diameter $\varnothing D \pm 1$ (mm)	Length $L \pm 3$ (mm)	Case Code	Pitch Length $P \pm 0.1$ (mm)
PTS02R5GCDWC	2.5	27	52	CD	13.5
PTS03R0GEDWC	3	30	52	ED	13.5
PTS04R0GEDWC	4	30	52	ED	13.5
PTS05R0GEDWC	5	30	52	ED	13.5
PTS06R0GEDWC	6	30	52	ED	13.5
PTS08R0GEDWC	8	30	52	ED	13.5

b) Motor Run Capacitors (IS-2993:1998)


Part Number	Rating (μ F)	Diameter $\varnothing D \pm 1$ (mm)	Length $L \pm 3$ (mm)	Case Code	Pitch Length $P \pm 0.1$ (mm)
PTS08R0GGKWC	8	35	71	GK	13.5
PTS10R0GGKWC	10	35	71	GK	13.5
PTS12R0GJKWC	12	40	71	JK	13.5
PTS15R0GJKWC	15	40	71	JK	13.5
PTS30R0GLRWC	30	45	94	LR	13.5

PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out


6. CAPACITOR ORDERING INFORMATION

Capacitors are identified with the help of a 12-digit code. Expansion of part Nos are detailed below.



a	b	c	d	e
Series Code	Capacitance Value Code	Voltage Code	Case Code	Top Cover Details
PTS: PP can, Resin Top, Straight termination	Eg: (i) 20 μ F is coded as 20R0 (ii) 2.5 μ F is coded as 02R5 (For the range of Capacitance refer rating table)	A - 110 V B - 230 V G - 440 V	Eg: GK - 35x71 LR - 45 x 94	WC - With Cover

Eg: PTS Series 8 μ F/440VAC



PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out

7. MARKING ON THE CAPACITOR


For PTS series MPP Capacitors product information is printed on the can in black letters.

The following information are marked on the Capacitor;

a) AC Fan Motor Capacitor (IS-1709)

- | | |
|---|----------------------------|
| 1) Manufacturer's Name and Logo  | 2) Climatic Category |
| 3) Nominal capacitance value in μf | 4) Capacitance tolerance |
| 5) Rated voltage | 6) Rated frequency |
| 7) Self – healing (SH) | 8) Type of dielectric- MPP |
| 9) Specification (standard) number | 10) Date code (Year-Month) |

b) Motor Run Capacitors (IS-2993)

- | | |
|---|-------------------------------------|
| 2) Manufacturer's Name and Logo  | 2) Climatic Category |
| 3) Nominal capacitance value in μf | 4) Capacitance tolerance |
| 5) Rated voltage | 6) Rated frequency |
| 7) Self – healing (SH) | 8) Class of operation |
| 9) Safety protection | 10) Specification (standard) number |
| 11) Date code (Year-Month) | 12) ISI Mark and Licence No: |

PTS SERIES

PP can construction with press-fit top cover and straight terminal leads out

8. DATE CODE

Year Code:

Year	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029
Letter Code	M	N	P	R	S	T	U	V	W	X

Year	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039
Letter Code	A	B	C	D	E	F	H	J	K	L

Year code repeats after each cycle of 20 years

Month Code:

Month	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
Code	1	2	3	4	5	6	7	8	9	O	N	D

9. PACKING QUANTITY

MPP Capacitors are packed in a PRIMARY cardboard carton by incorporating suitable SEPARATORS to avoid damages during transit. The primary cartons are then placed in a MOTHER Cardboard carton before shipment.

Packing quantity per primary carton are detailed below;

Case Code	No.s/ Carton
CD	200
ED	200
GK	81
JK	64
LR	49